



JMJ MEDICAL EQUIPMENT DEVICES


ANESTHESIA PRODUCTS MANUFACTURER



ISO 13485 : 2016

DEXTEROUS

ANESTHESIA WORKSTATION



VENTILATOR



VAPORIZER

DEXTEROUS is a High End Anesthesia Workstation that has an In-built Electrically Operated Ventilator.

ANAESTHESIA VENTILATOR

- 7" Touch Screen Display
- Modes: CMV/VC, CMV/PC, ACV/VC, ACV/PC, SIMV/VC, SIMV/PC, MANUAL
- Tidal Volume: 20-1500
- Frequency: 1-60 bpm
- IE Ratio: 1:9 – 4:1 PIP: 0-60 cm H₂O
- ALARM: High Pressure, Low Pressure, Patient Disconnect, VT High/Low, fio₂ failure/fio₂ low and Source Failure
- POWER SUPPLY: AC 220V
- BATTERY BACKUP: Up to 3 hours

MAIN UNIT


- MODE: Semi-open, Semi-closed or Closed System
- FLOWMETER: 5 Tube Rotameter 2 Oxygen, 2 Nitrous and 1 Air
- Changeover: Nitrous and Air
- O₂ Flush: 35-75L/min
- Alarm: Oxygen Failure Alarm (Audible and Visual)
- Safety Valve: Protects Reverse Flow From Patient Circuit towards Vaporizer
- Cylinder Attachment: 2 Oxygen and 2 Nitrous
- PIPELINE ATTACHMENT: 2 Oxygen, 1 Nitrous and 1 Air

STRUCTURE

- Rust Proof Fibre body
- 2 Drawers with Smooth Sliding Channels
- Antistatic large Castor Wheels, Front wheels with Brakes
- Space for Mounting Two Vaporizers

DURLAX PLUS

ANESTHESIA WORKSTATION



VENTILATOR



VAPORIZER



**DURLAX PLUS is a High End Anesthesia Workstation
that has an In-built Electrically and Pneumatically
Operated Ventilator.**

ANAESTHESIA VENTILATOR

- 7" Touch Screen Display
- Modes: VC, PC, SIMV
- Tidal Volume: 50-1500
- Frequency: 6-40 bpm
- IE Ratio: 4:1 - 1:4
- PIP: 10-60 cm H₂O
- ALARM: High Pressure, Low Pressure and Source Failure.
- POWER SUPPLY: AC 220V

MAIN UNIT


- MODE: Semi-open, Semi-closed or Closed System
- FLOWMETER: 5 Tube Rotameter 2 Oxygen, 2 Nitrous and 1 Air
- Changeover: Nitrous and Air
- O₂ Flush: 35-75L/min
- Alarm: Oxygen Failure Alarm (Audible and Visual)
- Safety Valve: Protects Reverse Flow From Patient Circuit towards Vaporizer.
- Cylinder Attachment: 2 Oxygen and 2 Nitrous
- PIPELINE ATTACHMENT: 2 Oxygen, 1 Nitrous and 1 Air

STRUCTURE

- Rust Proof Fibre body
- 2 Drawers with Smooth Sliding Channels
- Antistatic large Castor Wheels, Front wheels with Brakes
- Space for Mounting Two Vaporizers

DURLAX

ANESTHESIA WORKSTATION



VENTILATOR



VAPORIZER



DURLAX is a High End Anesthesia Workstation that has an In-built Electrically and Pneumatically Operated Ventilator.

ANAESTHESIA VENTILATOR

- 5" Touch Screen Display
- Modes: VC, PC, SIMV+PSV and MANUAL
- Tidal Volume: 50-1200
- Frequency: 1-60 bpm
- IE Ratio: 1:9 - 4:1
- PIP: 0-60 cm H₂O
- ALARM: High Pressure, Low Pressure and Source Failure.
- POWER SUPPLY: AC 220V

MAIN UNIT

- MODE: Semi-open, Semi-closed or Closed System
- FLOWMETER: 3 Tube Rotameter 1 Oxygen, 1 Air and 1 Nitrous
- O₂ Flush: 35-75L/min
- Alarm: Oxygen Failure Alarm (Audible and Visual)
- Safety Valve: Protects Reverse Flow From Patient Circuit towards Vaporizer.
- Cylinder Attachment: 2 Oxygen and 1 Nitrous
- PIPELINE ATTACHMENT: 1 Oxygen and 1 Nitrous

STRUCTURE

- MS Powder Coating
- 2 Drawers with Smooth Sliding Channels
- Antistatic large Castor Wheels, Front wheels with Brakes
- Space for Mounting Two Vaporizers

VENUS

ANESTHESIA MACHINE



SPECIFICATION

- Model Name/Number: Venus
- Usage/Application: Operation Use
- Oxygen Flush: 35-70 LPM
- Cylinder Yokes: 2 Oxygen + 2 Nitrous
- Is It Portable: Portable
- Monitor Shelf: Yes
- Number Of Wheels: 4
- Automation Grade: Manual
- Gas Source: Oxygen And Nitrous
- Number Of Gas: 2
- Rotameter Tubes: 2 Tubes
- Positioning: Trolley
- Material: Powder Coated Mild Steel
- Hypoxic Guard: Yes
- 2 Huge Sliding Drawers
- Single Vaporizer Attachment
- Goldman Attachment
- Country of Origin: Made in India

VENUS LITE

ANESTHESIA MACHINE




SPECIFICATION

- Model Name/Number: Venus Lite
- Usage/Application: Operation Use
- Oxygen Flush: 35-70 LPM
- Cylinder Yokes: 2 Oxygen + 2 Nitrous
- Is It Portable: Portable
- Monitor Shelf: Yes
- Number Of Wheels: 4
- Automation Grade: Manual
- Gas Source: Oxygen And Nitrous
- Number Of Gas: 2
- Rotameter Tubes: 2 Tubes
- Positioning: Trolley
- Material: Powder Coated Mild Steel
- Hypoxic Guard: Optional
- Single Drawer
- Country of Origin: Made in India

DEXTEROUS

ANESTHESIA VENTILATOR



SPECIFICATION

- Model Name: DEXTEROUS
- Usage/Application: Operation Use
- Display Size: 7Inch Touch Screen
- Modes: CMV/VC, CMV/PC, ACV/VC, ACV/PC, SIMV/VC, SIMV/PC, Manual.
- Tidal Volume: 20-1500(ML)
- Frequency: 1-60 bpm
- IE Ratio: 1.9 - 4.1
- PIP: 0-60cm H2O
- Alarm: High Pressure, Low Pressure, Patient Disconnect, VT High/Low, fio2 failure/fio2 low and Source Failure.
- Power Supply: AC 220V
- Battery Backup: Up to 2 hours
- Country of Origin: Made in India

CURE VENT 3000

ANESTHESIA VENTILATOR



SPECIFICATION

- Model Name: Anesthesia Ventilator
- Usage/Application: Operation Use
- Display Size: 7Inch Touch Screen
- Modes: VC,PC, SIMV Standby
- Tidal Volume: 50-1500(ML)
- Frequency: 6-40 bpm
- IE Ratio: 1.4 - 4.1
- PIP: 10-60cm H₂O
- Alarm: High Pressure,Low Pressure and Source Failure.
- Power Supply: AC 220V
- Battery Backup: Up to 2 hours
- Country of Origin: Made in India

ABOUT OUR ORGANISATION

JMJ MEDICAL EQUIPMENT DEVICES IS A MEDICAL EQUIPMENT MANUFACTURERS. AN **CE & ISO-13485 : 2016** CERTIFIED COMPANY. HERE YOU CAN FIND BEST MEDICAL EQUIPMENTS / PRODUCTS. WE WILL GIVE YOU OUR MEDICAL EQUIPMENTS SAFELY TO YOUR PLACE.



MANUFACTURED BY:

JMJ MEDICAL EQUIPMENT DEVICES

ADDRESS: D-343 D BLOCK, SECTOR-10 NOIDA, U.P-201301

E-mail: jmjmedicalequipment@gmail.com

PH. NO. : +91 8802969529 / +91 7982289814

CUSTOMER CARE NO : 08048056579

WEBSITE: www.jmjmedicalequipment.in